Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- (Currently Amended) A method for delivering a physiologically active compound to a patient comprising the steps of:
- (a) <u>providing depositing a physiologically active compound onto</u> a substrate having first and second ends <u>upon which a physiologically active compound has been</u> deposited;
- (b) generating a moving heating zone that traverses at least a portion of the <u>substrate in a direction</u> from the first end to the second end of the substrate, thereby sequentially heating compound exposed to the heating zone to produce a vapor;
 - (c) allowing the vapor to condense to form an aerosol; and
 - (d) administering the resulting aerosol to a patient.

2.-3. (Cancelled)

- (Previously Presented) The method of claim 1 wherein the compound is deposited onto the substrate at a thickness of less than 10 µm.
- 5. (Previously Presented) The method of claim 1 wherein the aerosol has a mass median aerodynamic diameter of 1 to 3 µm.
- 6. (Previously Presented) The method of claim 1 wherein the aerosol has a mass median aerodynamic diameter of 10 to 100 nm.
- 7. (Previously Presented) The method of claim 1 wherein the heating of the compound to form a vapor occurs over a period of 2 seconds or less.

Application No. 10/057,198 Attorney Docket No. 00006.01R

8. (Previously Presented) The method of claim 1 wherein the substrate is a stainless steel foil.

(Cancelled)

 (Previously Presented) The method of claim 1 wherein the compound is vaporized with less than 2% decomposition.

11.-12. (Cancelled)

 (Previously Presented) The method of claim 1 wherein the vapor is free of excipients.

14.-18. (Cancelled)

- (Currently Amended) A method for delivering a physiologically active compound to a patient comprising the steps of:
- (a) <u>providing depositing a physiologically active compound onto</u> a substrate <u>upon which a physiologically active compound has been deposited</u> defining a compound deposition area;
- (b) heating a zone of the substrate, wherein the heated zone has a surface area less than the compound deposition area;
- (c) increasing the size of the heated zone to progressively vaporize compound exposed to the heated zone;
 - (d) allowing the vapor to condense to form an aerosol; and
 - (e) administering the resulting aerosol to a patient.

20.-28. (Cancelled)

29. (Previously Presented) The method of claim 19 wherein the compound is

Application No. 10/057,198 Attorney Docket No. 00006.01R

deposited onto said substrate at a thickness of less than 10 µm.

- 30. (Previously Presented) The method of claim 19 wherein the aerosol has a mass median aerodynamic diameter of 1 to 3 um.
- 31. (Previously Presented) The method of claim 19 wherein the aerosol has a mass median aerodynamic diameter of 10 to 100 nm.
- (Previously Presented) The method of claim 19 wherein the heating of the compound to form a vapor occurs over a period of 2 seconds or less.
- (Previously Presented) The method of claim 19 wherein the substrate is a stainless steel foil.
- (Previously Presented) The method of claim 19 wherein said compound is vaporized with less than 2% decomposition.

35,-44, (Cancelled)

 $\begin{tabular}{ll} 45. & (Previously Presented) The method of claim 19 wherein the vapor is free of excipients. \end{tabular}$

46.-83. (Cancelled)

- 84. (Currently Amended) A method for delivering a physiologically active compound to a patient comprising the steps of:
- (a) <u>providing depositing a physiologically active compound onto</u> a substrate onto which a physiologically active compound has been deposited;
 - (b) heating a zone of the substrate;
- (c) moving the heated zone with respect to the substrate to progressively vaporize compound exposed to the heated zone;

Application No. 10/057,198 Attorney Docket No. 00006.01R

- (d) allowing the vapor to condense to form an aerosol; and
- (e) administering the resulting aerosol to a patient.
- 85. (Previously Presented) The method of claim 84 wherein the compound is deposited onto said substrate at a thickness of less than 10 µm.
- 86. (Previously Presented) The method of claim 84 wherein the aerosol has a mass median aerodynamic diameter of 1 to 3 μ m.
- 87. (Previously Presented) The method of claim 84 wherein the aerosol has a mass median aerodynamic diameter of 10 to 100 nm.
- 88. (Previously Presented) The method of claim 84 wherein the heating of the compound to form a vapor occurs over a period of 2 seconds or less.
- 89. (Previously Presented) The method of claim 84 wherein the substrate is a stainless steel foil.
- (Previously Presented) The method of claim 84 wherein said compound is vaporized with less than 2% decomposition.
- (Previously Presented) The method of claim 84 wherein the vapor is free of excipients.